

PGP-ADJ

Hunter PGP™

Key Features

- 40° - 360°
- QuickCheck™

Specifications

- 27
- 4.9 - 14.0
- 0.10 - 3.22 / 1.7 - 53.7
- 1.7 - 4.5 / 170 - 450
- 1.4 - 7.0 bar; 140 - 700 kPa
- 10 mm/hr
- = 25° = 13°
- 2

Performance

- 5-8 1.5-4.0

Accessories

- 1 P/N: 142300SP



PGP <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>							
??	??	??	??		???? mm/hr		
	bar	kPa	m	m ³ /hr	l/min	■	▲
1.5 • <input type="checkbox"/>	1.7	170	8.8	0.27	4.5	7	8
	2.0	200	9.1	0.29	4.8	7	8
	2.5	250	9.4	0.32	5.4	7	8
	3.0	300	9.8	0.35	5.9	7	9
	3.5	350	9.8	0.38	6.4	8	9
	4.0	400	9.8	0.41	6.8	9	10
	4.5	450	9.4	0.43	7.2	10	11
2.0 • <input type="checkbox"/>	1.7	170	10.1	0.32	5.4	6	7
	2.0	200	10.1	0.35	5.8	7	8
	2.5	250	10.1	0.39	6.5	8	9
	3.0	300	10.4	0.43	7.2	8	9
	3.5	350	10.4	0.47	7.8	9	10
	4.0	400	10.4	0.50	8.3	9	11
	4.5	450	10.4	0.53	8.8	10	11
2.5 • <input type="checkbox"/>	1.7	170	10.1	0.39	6.6	8	9
	2.0	200	10.4	0.43	7.1	8	9
	2.5	250	10.7	0.48	8.0	8	10
	3.0	300	10.7	0.54	8.9	9	11
	3.5	350	10.7	0.58	9.7	10	12
	4.0	400	10.7	0.62	10.4	11	13
	4.5	450	10.7	0.66	11.1	12	13
3.0 • <input type="checkbox"/>	1.7	170	10.7	0.50	8.4	9	10
	2.0	200	10.7	0.54	9.1	10	11
	2.5	250	11.0	0.61	10.2	10	12
	3.0	300	11.6	0.68	11.4	10	12
	3.5	350	11.9	0.74	12.3	10	12
	4.0	400	11.9	0.79	13.2	11	13
	4.5	450	11.9	0.84	14.0	12	14
4.0 • <input type="checkbox"/>	1.7	170	11.3	0.68	11.3	11	12
	2.0	200	11.6	0.73	12.2	11	13
	2.5	250	11.9	0.81	13.6	12	13
	3.0	300	12.2	0.90	15.0	12	14
	3.5	350	12.2	0.97	16.2	13	15
	4.0	400	12.5	1.04	17.3	13	15
	4.5	450	12.5	1.10	18.3	14	16
5.0 • <input type="checkbox"/>	1.7	170	11.3	0.84	14.0	13	15
	2.0	200	11.6	0.91	15.2	14	16
	2.5	250	11.9	1.02	17.1	15	17
	3.0	300	12.8	1.14	19.0	14	16
	3.5	350	12.8	1.24	20.6	15	17
	4.0	400	12.8	1.32	22.1	16	19
	4.5	450	12.8	1.41	23.4	17	20

6.0	1.7	170	11.6	1.01	16.8	15	17
	2.0	200	11.9	1.09	18.2	15	18
	2.5	250	12.2	1.22	20.4	16	19
	3.0	300	13.1	1.36	22.7	16	18
	3.5	350	13.1	1.47	24.5	17	20
	4.0	400	13.4	1.57	26.2	18	20
	4.5	450	13.4	1.67	27.9	19	21
8.0	1.7	170	11.3	1.35	22.5	21	25
	2.0	200	11.9	1.46	24.3	21	24
	2.5	250	12.5	1.63	27.2	21	24
	3.0	300	13.4	1.81	30.2	20	23
	3.5	350	13.7	1.95	32.6	21	24
	4.0	400	14.0	2.09	34.8	21	25
	4.5	450	14.0	2.22	36.9	23	26
<p>□□</p> <p>□□□□□□□□180□□□ □□360□□□□□□□□□□2□</p>							

PGP

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	???? in/hr	
	PSI	ft	GPM	■	▲
1 • <input type="checkbox"/>	30	28	0.5	0.12	0.14
	40	29	0.6	0.14	0.16
	50	29	0.7	0.16	0.19
	60	30	0.8	0.17	0.20
2 • <input type="checkbox"/>	30	29	0.7	0.16	0.19
	40	30	0.8	0.17	0.20
	50	30	0.9	0.19	0.22
	60	31	1.0	0.20	0.23
3 • <input type="checkbox"/>	30	30	0.9	0.19	0.22
	40	31	1.0	0.20	0.23
	50	31	1.2	0.24	0.28
	60	32	1.3	0.24	0.28
4 • <input type="checkbox"/>	30	32	1.2	0.23	0.26
	40	33	1.4	0.25	0.29
	50	34	1.6	0.27	0.31
	60	34	1.8	0.30	0.35
5 • <input type="checkbox"/>	30	32	1.6	0.30	0.35
	40	36	1.8	0.27	0.31
	50	38	2.0	0.27	0.31
	60	38	2.2	0.29	0.34
6 • <input type="checkbox"/>	30	34	2.0	0.33	0.38
	40	36	2.4	0.36	0.41
	50	38	2.7	0.36	0.42
	60	38	2.9	0.39	0.45
7 • <input type="checkbox"/>	30	34	2.6	0.43	0.50
	40	38	3.0	0.40	0.46
	50	40	3.4	0.41	0.47
	60	40	3.7	0.45	0.51
8 • <input type="checkbox"/>	30	37	3.2	0.45	0.52
	40	39	3.7	0.47	0.54
	50	41	3.9	0.45	0.52
	60	42	4.6	0.50	0.58
9 • <input type="checkbox"/>	30	38	3.6	0.48	0.55
	40	41	4.3	0.49	0.57
	50	44	5.2	0.52	0.60
	60	45	5.5	0.52	0.60
10 • <input type="checkbox"/>	40	44	6.0	0.60	0.69
	50	46	6.8	0.62	0.71
	60	47	7.6	0.66	0.76
	70	49	8.2	0.66	0.76
11 • <input type="checkbox"/>	40	46	8.0	0.73	0.84
	50	48	8.9	0.74	0.86
	60	50	9.8	0.75	0.87

70	51	10.5	0.78	0.90	
	40	46	10.5	0.96	1.10
12 •	50	48	11.9	0.99	1.15
□	60	50	12.7	0.98	1.13
	70	52	14.1	1.00	1.16
<p>□□□□□□□□□□180□□□ □□360□□□□□□□□□□2□</p> <p>□□=□□□□</p>					

PGP

??	??	??	??		????mm/hr	
	bar	kPa	m	m³/hr	l/min	■ ▲
4 □	1.7	170	6.4	0.30	4.9	14 17
	2.0	200	6.7	0.32	5.3	14 16
	2.5	250	7.0	0.35	5.9	14 17
	3.0	300	7.3	0.39	6.5	15 17
	3.5	350	7.9	0.42	7.0	13 15
	4.0	400	8.5	0.45	7.5	12 14
	4.5	450	8.5	0.47	7.9	13 15
5 □	1.7	170	7.3	0.33	5.6	12 14
	2.0	200	7.6	0.36	6.0	12 14
	2.5	250	7.9	0.40	6.7	13 15
	3.0	300	8.2	0.45	7.4	13 15
	3.5	350	8.5	0.48	8.0	13 15
	4.0	400	8.8	0.52	8.6	13 15
	4.5	450	9.1	0.55	9.1	13 15
6 □	1.7	170	8.8	0.44	7.3	11 13
	2.0	200	9.1	0.47	7.9	11 13
	2.5	250	9.4	0.53	8.8	12 14
	3.0	300	9.8	0.59	9.8	12 14
	3.5	350	10.1	0.64	10.6	13 15
	4.0	400	10.7	0.68	11.3	12 14
	4.5	450	10.7	0.72	12.0	13 15
7 □	1.7	170	8.5	0.58	9.7	16 18
	2.0	200	8.8	0.62	10.3	16 18
	2.5	250	9.4	0.68	11.4	15 18
	3.0	300	10.1	0.75	12.5	15 17
	3.5	350	10.7	0.80	13.3	14 16
	4.0	400	11.3	0.85	14.1	13 15
	4.5	450	11.3	0.89	14.8	14 16
8 □	1.7	170	9.1	0.71	11.8	17 20
	2.0	200	9.4	0.76	12.7	17 20
	2.5	250	9.8	0.84	14.1	18 20
	3.0	300	10.4	0.93	15.5	17 20
	3.5	350	11.3	1.00	16.6	16 18
	4.0	400	11.6	1.06	17.6	16 18
	4.5	450	11.6	1.12	18.6	17 19
9 □	1.7	170	9.8	0.89	14.9	19 22
	2.0	200	10.1	0.96	16.0	19 22
	2.5	250	10.7	1.07	17.9	19 22
	3.0	300	11.3	1.19	19.8	19 22
	3.5	350	12.2	1.28	21.3	17 20
	4.0	400	12.8	1.37	22.8	17 19
	4.5	450	12.8	1.45	24.1	18 20
10	1.7	170	10.1	1.17	19.5	23 27

2.0	200	10.7	1.26	21.0	22	26
2.5	250	11.3	1.40	23.4	22	25
3.0	300	11.6	1.55	25.9	23	27
3.5	350	12.2	1.67	27.8	22	26
4.0	400	12.8	1.78	29.7	22	25
4.5	450	12.8	1.89	31.4	23	27

□□=□□□□
□□□□□□□□180□□□□ □□360□□□□□□□□□□□□

Copyright © 2024 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://hunterirrigation.com/cn/irrigation-product/chilunqudongxuanzhuanpentou/pgp-adj>
122324