

Eco-Rotator

This compact sprinkler offers maximum efficiency, flexibility, and performance.

VENTAJAS PRINCIPALES

- Automatic matched precipitation for simplified irrigation design and flexibility
- High distribution uniformity for a healthy landscape and maximum water efficiency
- Double-pop feature protects the nozzle from external debris
- Large inlet filter screen protects the nozzle from internal debris in the system
- Heavy-duty spring for consistent riser retraction

Operating Specifications

- Low precipitation rate
- Radius range: 1.8 to 9.1 m
- Operational pressure range: 1.7 to 3.8 bar; 170 to 380 kPa
- Recommended operating pressure: 2.8 bar; 280 kPa
- Warranty period: 2 years

User-Installed Option

- Drain Check Valve: 10 cm model (up to 2 m of elevation) P/N: 462237SP



DATOS DE RENDIMIENTO DEL ECO-ROTATOR





MP1000

Radio: 2,5 a 4,6 m

Sector ajustable

Granate: 90° a 210°

Aceituna: 360°

Arco	Presión		Radio	Caudal		Pluv. mm/hr	
	bar	kPa		m ³ /hr	l/min	■	▲
90° 	1,7	170
	2,0	200	3,7	0,04	0,61	11	12
	2,5	250	4,0	0,04	0,68	10	12
	2,8	280	4,1	0,04	0,70	10	11
	3,0	300	4,3	0,04	0,73	10	11
	3,5	350	4,4	0,05	0,78	10	11
	3,8	380	4,6	0,05	0,81	9	11
180° 	1,7	170
	2,0	200	3,7	0,07	1,20	11	12
	2,5	250	4,0	0,08	1,35	10	12
	2,8	280	4,1	0,08	1,40	10	11
	3,0	300	4,3	0,09	1,46	10	11
	3,5	350	4,4	0,09	1,56	10	11
	3,8	380	4,6	0,10	1,62	9	11
210° 	1,7	170
	2,0	200	3,7	0,09	1,41	11	13
	2,5	250	4,0	0,10	1,58	10	12
	2,8	280	4,1	0,10	1,63	10	11
	3,0	300	4,3	0,10	1,71	10	11
	3,5	350	4,4	0,11	1,82	10	11
	3,8	380	4,6	0,11	1,89	9	11
360° 	1,7	170
	2,0	200	3,5	0,14	2,40	12	14
	2,5	250	4,0	0,16	2,69	10	12
	2,8	280	4,1	0,17	2,81	10	12
	3,0	300	4,3	0,18	2,94	10	11
	3,5	350	4,4	0,19	3,17	10	11
	3,8	380	4,5	0,20	3,25	10	11





MP2000

Radio: 4 a 6,4 m

Sector ajustable

Negro: 90° a 210°

Rojo: 360°

Arco	Presión		Radio	Caudal		Pluv. mm/hr	
	bar	kPa		m ³ /hr	l/min	■	▲
90° 	1,7	170	5,2	0,07	1,18	11	12
	2,0	200	5,5	0,07	1,23	10	11
	2,5	250	5,8	0,09	1,43	10	12
	2,8	280	6,1	0,09	1,52	10	11
	3,0	300	6,4	0,09	1,57	9	11
	3,5	350	6,7	0,10	1,68	9	10
	3,8	380	6,7	0,11	1,77	9	11
180° 	1,7	170	4,9	0,13	2,22	11	12
	2,0	200	5,2	0,14	2,35	11	12
	2,5	250	5,5	0,16	2,67	11	12
	2,8	280	5,8	0,17	2,80	10	12
	3,0	300	6,1	0,17	2,90	10	11
	3,5	350	6,4	0,19	3,15	9	10
	3,8	380	6,4	0,19	3,22	9	11
210° 	1,7	170	4,9	0,16	2,58	11	12
	2,0	200	5,2	0,17	2,75	11	13
	2,5	250	5,5	0,19	3,08	10	12
	2,8	280	5,8	0,20	3,25	10	12
	3,0	300	6,1	0,21	3,42	10	11
	3,5	350	6,4	0,22	3,70	9	10
	3,8	380	6,4	0,23	3,80	10	11
360° 	1,7	170	4,9	0,27	4,42	11	12
	2,0	200	5,2	0,28	4,72	11	13
	2,5	250	5,5	0,32	5,28	10	12
	2,8	280	5,8	0,33	5,55	10	12
	3,0	300	6,1	0,35	5,80	10	11
	3,5	350	6,4	0,37	6,25	9	10
	3,8	380	6,4	0,38	6,40	9	10





MP3000

Radio: 6,7 a 9,1 m

Ajustable & Sector

Azul: 90° a 210°

Gris: 360°

Arco	Presión		Radio	Caudal		Pluv. mm/hr	
	bar	kPa		m ³ /hr	l/min	■	▲
90° 	1,7	170	7,6	0,16	2,63	11	13
	2,0	200	8,2	0,17	2,77	10	11
	2,5	250	8,5	0,19	3,08	10	12
	2,8	280	9,1	0,20	3,25	9	11
	3,0	300	9,1	0,20	3,38	10	11
	3,5	350	9,1	0,22	3,67	11	12
	3,8	380	9,1	0,23	3,80	11	13
180° 	1,7	170	7,6	0,32	5,48	11	13
	2,0	200	8,2	0,35	5,88	10	12
	2,5	250	8,5	0,40	6,55	11	12
	2,8	280	9,1	0,41	6,88	10	11
	3,0	300	9,1	0,43	7,18	10	12
	3,5	350	9,1	0,47	7,77	11	13
	3,8	380	9,1	0,45	8,02	12	13
210° 	1,7	170	7,6	0,38	6,40	11	13
	2,0	200	8,2	0,41	6,85	10	12
	2,5	250	8,5	0,46	7,65	11	12
	2,8	280	9,1	0,48	8,02	10	11
	3,0	300	9,1	0,50	8,37	10	12
	3,5	350	9,1	0,54	9,03	11	13
	3,8	380	9,1	0,56	9,37	12	13
360° 	1,7	170	7,6	0,66	10,98	11	13
	2,0	200	8,2	0,70	11,72	10	12
	2,5	250	8,5	0,79	13,10	11	12
	2,8	280	9,1	0,83	13,75	10	11
	3,0	300	9,1	0,87	14,37	10	12
	3,5	350	9,1	0,93	15,52	11	13
	3,8	380	9,1	0,96	16,07	12	13

Nota = La presión óptima está indicada en negrita.

Copyright © 2024 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://hunterirrigation.com/es/irrigation-product/mp-rotator/eco-rotator>
122324